

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-24 (canceled)

Claim 25 (previously presented): A polypeptide isolated from lung or colon tissue, having at least 95% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532, wherein said polypeptide is encoded by a nucleic acid that is amplified in lung or colon tumors.

Claim 26 (previously presented): The polypeptide of claim 25 isolated from lung or colon tissue, having at least 99% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);

- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532, wherein said polypeptide is encoded by a nucleic acid that is amplified in lung or colon tumor.

Claim 27 (currently amended): An isolated polypeptide ~~isolated from lung or colon tissue~~ comprising:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532.

Claim 28 (previously presented): The polypeptide of claim 27 isolated from lung or colon tissue, comprising the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50).

Claim 29 (previously presented): The polypeptide of claim 27 isolated from lung or colon tissue, comprising the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide.

Claim 30 (previously presented): The polypeptide of claim 27 isolated from lung or colon tissue, comprising the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50).

Claim 31 (currently amended): The polypeptide of claim 22 25 isolated from lung or colon tissue, comprising the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide.

Claim 32 (previously presented): The polypeptide of claim 29 isolated from lung or colon tissue, comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532.

Claim 33 (currently amended): A chimeric polypeptide comprising a polypeptide according to ~~Claim~~ claim 22 25 fused to a heterologous polypeptide.

Claim 34 (previously presented): The chimeric polypeptide of Claim 33, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.

Claim 35 (canceled)

Claim 36 (previously presented): A polypeptide isolated from lung or colon tissue comprising the sequence of SEQ ID NO:50 with 0-10 amino acid additions, deletions, or substitutions, wherein the polypeptide is encoded by a nucleic acid that is amplified in lung or colon tumors.